

THE DECKCHAIR FOR PEOPLE OF ALL ABILITIES - Technical Guide



I. GENERAL CHARACTERISTICS

Produit : Beach deckchair for people of all abilities.

SUMMARY

- I. General Characteristics
- II. Applications and installation conditions
- III. Warranty

Offering 3 seating positions, the beach deckchair for people of all abilities allows everyone to relax and sunbath quietly on the beach.

Thanks to its height adapted to a wheelchair (height of 51 cm), the transfer is very easy.

The fabric of the beach deckchair is UV resistant to maintain a pleasant surface for the user. For even more comfort, a sunshade is integrated to protect against the sun.

DIMENSIONS UNFOLDED :

Length:	178 cm
Width of the seat and backrest:	60 cm
Height of the seat:	51 cm
Back height:	52 cm
Length of the umbrella:	66 cm
Width of the umbrella:	44 cm
Weight:	11kg
Color:	Cream

MATERIALS :

- Weather-resistant heavy acrylic fabric (anti-mould) sunshade (available in PVC)
- Anodizing of the satin-chemical type (fabric) to increase abrasion and corrosion resistance
- Screws, nuts, washers and compasses in stainless steel AISI 304 (rustproof)
- Hardened aluminum rivets Ø m/m6 length m/m 15.

KEY ADVANTAGES:

- Height adapted to people of all abilities (51 cm)
- Sunshade to protect against the sun
- UV resistant
- 3 seating positions
- Stable (can be installed on a hard surface or on a soft surface such as sand)

II. CONDITIONS OF USE AND INSTALLATION

This beach deckchair can be used on hard ground (concrete, terrace etc.) but also on soft ground (sand, grass etc.)

Installation

Step 1: Leveling the ground

On the sand, a broom is enough to level the ground and then place the deckchair at the desired location.

Step 2: Installation

Simply unfold the deckchair and adjust the parasol to your preference.

Uninstall

Step 1: Sweep the deckchair

One of the advantages comes from its structure which prevents the sand from storing itself and thus weighing down the whole. Sweeping is therefore easy.

Step 2: Uninstall

Simply fold the deckchair and move it to the desired location if necessary. Its weight of 11 kilos allows it to be easily moved.

III. WARRANTY

Accessrec Europe offers a two (2) year limited warranty from the date of purchase. This warranty only covers manufacturing defects of the product. Alterations due to normal use are not considered as manufacturing defects. Damage caused by vandalism or passing vehicles (other than those intended for normal use of the product) is not covered by the warranty.

The warranty does not apply to:

- Normal wear and tear on solutions
- Misuse, maintenance or storage of the solution.
- An accident or natural disaster
- Changes that have been made to the solution without the written consent of Accessrec Europe.
- Repairs that have been made without the written consent of Accessrec Europe.
- Labour or shipping costs that may be necessary if repairs are being considered.

If you are not satisfied with the conditions or repairs that have been made, please contact Accessrec Europe directly. Products may not be returned without the consent of Accessrec Europe. The two (2) year warranty is only applicable to the original purchaser.